

# NIPPON KAIJI KYOKAI

Certificate

Certificate No. TA14150E(N)

OF

APPROVAL

Item : A-60 class deck

Product name : A-60 Steel Deck (SeaRox SL 620)

Specification : See Annex.

Applicant : Rockwool International A/S

Hovedgaden 584, DK-2640 Hedehusene, Denmark

Manufacturer : See Annex.

Testing standard : 2010 FTP Code (IMO Resolution MSC 307(88))

Annex1 / Part 3

Test report : See Annex.

THIS IS TO CERTIFY that the above type of products has been approved by Nippon Kaiji Kyokai with type approval No. 14FPA14DA, and that the products of the above type will be accepted for use onboard ships classed with the Society as complying with the relevant requirements of the Society's Rules for the Survey and Construction of Steel Ships and those of the International Convention for the Safety of Life at Sea, 1974, as amended, subject to conditional upon the manufacturer having a quality control system audited by a competent authority to ensure continuous compliance with the type approval conditions.

This certificate is valid until 16 February 2019. Issued at Tokyo on 17 February 2014.

NIPPON KAIJI KYOKAI

T. Imamura

General Manager

Material and Equipment Department

Initial approval date: 17 February 2014

### Annex to the Certificate No. TA14150E(N)



### 1. Manufacturer

Rockwool A/S Hovedgaden 501, 2640 Hedehusene, Denmark

Rockwool B.V. Industrieweg 15 NL-6045 JG Roermond, The Netherlands

ROCKWOOL MALAYSIA SDN BHD 175 A & B, Kawasan Perindustrian Air Keroh, Jalan Lingkungan Usaha, 75450 Melaka, Malaysia

Roxul Rockwool Insulation India Pvt. Ltd. Plot Z/4, Dahej SEZ, Dahej, District Bharuch 392 130, Gujarat – India

#### 2. Test report

Test laboratory : Registro Italiano Navale (RINA)

Via Corsica 12, Genoa, Italy

Report number  $\div$  2013CS01840/3

Issued date : 5 April 2013

## Annex to the Certificate No. T A 1 4 1 5 0 E(N)





All meassurements in mm

 Subject: A60 SeaRox SL 620
 Date: 2013.03.25


 Dwg No.: 2013 15
 Scale: 1:20
 Rev.: Designer: KMP


	-	-										3020										-
			8		0		8		0	魯	8		0		8		0	$\prod$	0		8	
1000		® <sup>:</sup>		8		8		8		8		8	(	0		8				8		0
		<b>®</b>	8		Ø	0	8		0	8	8		<b>Ø</b>	8	0		Ø	8	0		0	8
				0				8				8				8				@		
		❸.	8		0	8	8		8	8	0		0	8	8		8	8	8		0	0
	=	0		8		0		0		8		8		8		8		8		0		<b>©</b>
			0		0		8		8		8		0		8		0		8		@	
3020 1000		8		8		9		0		8		0		0		8		0		8		8
36		3	8		0	@	8		Ø	8	8		0	@	•		0	8	0		8	0
				69				0				0				8				8		
		<b>9</b> :	0		0	0	0		0	8	0		9	8	8		0	8	8		8	8
	6	<b>9</b> .	400			8		0		89		0		8		0		0		8		0
1000			® —	400	0		0		300		0		0		0		0		<b>®</b>		0	
	8	9	-			8		8	+	0		8		8		0		8		8		0
		3	8	•	9	0	0		0	(B)	0		0	8	8		0	8	0		0	0

50 mm Rockwool SeaRox SL 620, on stiffners 30 mm SeaRox SL 620,

# Annex to the Certificate No. T A 1 4 1 5 0 E(N)







washer diameter:  $\phi$ 30mm or  $\phi$ 38mm