



CERTIFICATE NUMBER  
EFFECTIVE DATE  
EXPIRY DATE  
ABS TECHNICAL OFFICE

20-2004325-PDA  
09-Sep-2020  
08-Sep-2025  
London Engineering Department

## CERTIFICATE OF Product Design Assessment

This is to certify that a representative of this Bureau did, at the request of

### **ROCKWOOL INTERNATIONAL A/S**

located at

**HOVEDGADEN 584, DK-2640 HEDEHUSENE, Denmark**

assess design plans and data for the below listed product. This assessment is a representation by the Bureau as to the degree of compliance the design exhibits with applicable sections of the Rules. This assessment does not waive unit certification or classification procedures required by ABS Rules for products to be installed in ABS classed vessels or facilities. This certificate, by itself, does not reflect that the product is Type Approved. The scope and limitations of this assessment are detailed on the pages attached to this certificate.

**Product Non-combustible insulation material**

**Model SeaRox FB 6010, SeaRox FB 6020, SeaRox FB 6040 & SeaRox FB 6050.**

This Product Design Assessment (PDA) Certificate remains valid until 08/Sep/2025 or until the Rules and/or Standards used in the assessment are revised or until there is a design modification warranting design reassessment (whichever occurs first).

Acceptance of product is limited to the "Intended Service" details prescribed in the certificate and as per applicable Rules and Standards.

This Certificate is valid for installation of the listed product on ABS units which exist or are under contract for construction on or previous to the effective date of the ABS Rules and standards applied at the time of PDA issuance. Use of the Product for non-ABS units is subject to agreement between the manufacturer and intended client.

American Bureau Of Shipping

Nitin Tyagi, Engineer/Consultant

NOTE: This certificate evidences compliance with one or more of the Rules, Guides, standards or other criteria of ABS or a statutory, industrial or manufacturer's standards. It is issued solely for the use of ABS, its committees, its clients or other authorized entities. Any significant changes to the aforementioned product without approval from ABS will result in this certificate becoming null and void. This certificate is governed by ABS Rules 1-1-A3/5.9 Terms and Conditions of the Request for Product Type Approval and Agreement (2010)

## ROCKWOOL INTERNATIONAL A/S

HOVEDGADEN 584

DK-2640 HEDEHUSENE

Denmark

Telephone: +31 475 353915

Fax:

Email: math.mourmans@rockwool.com

Web: www.rockwool-rti.com

**Tier: 3 - Type Approved, unit certification not required**

---

**Product:** Non-combustible insulation material

**Model:** SeaRox FB 6010, SeaRox FB 6020, SeaRox FB 6040 & SeaRox FB 6050.

**Intended Service:**

Insulation Material (Stone Wool) for ABS Classes Vessels, Mobile Offshore Drilling Units or Facilities

### Description:

Material specification:

- 1) SeaRox FB 6010 - Thickness: 50 mm, Density: 35 kg/m<sup>3</sup>, Nominal organic content: 1.1 mass %
- 2) SeaRox FB 6020 - Thickness: 70 mm, Density: 40 kg/m<sup>3</sup>, Nominal organic content: 1.1 mass %
- 3) SeaRox FB 6040 - Thickness: 70 mm, Density: 60 kg/m<sup>3</sup>, Nominal organic content: 1.1 mass %
- 4) SeaRox FB 6050 - Thickness: 30 mm, Density: 70 kg/m<sup>3</sup>, Nominal organic content: 1.1 mass %

### Rating:

Non-combustible material in compliance with the 2010 FTP code.

### Service Restriction:

- 1) Unit Certification is not required for this product. If the manufacturer or purchaser's request an ABS Certificate for compliance with a specification or standard, the specification or standard, including inspection standards and tolerances must be clearly defined.
- 2) Continuous compliance with the statutory requirements requires maintenance of the Full Type Approval. The scope of Type Approval is to comply with MSC.1/Cir. 1221 dated 1 December 2006.

### Comments:

- 1) The Manufacturer has provided a declaration about the control of, or lack of Asbestos in this product.
- 2) Unless specifically directed by the Administration, this approval is not to be construed as a substitute of a flag Administration's approval for the purpose of SOLAS 1974, as amended.
- 3) In those instances where flag administration may have their own specific requirements, flag Administration's approval may be required.

### Notes/Drawing/Documentation:

Incoming email request from Lukas Vonsik

PDA Application form

PDA-DUP Application form

No Changes - Declaration of Conformity

EG2136917, Certificate of Manufacturing Assessment

Drawing No. PFB10165A, Test Report - SeaRox FB 6020, Dated 29 April 2015, Total 5 pages

Drawing No. PFB10165B, Test Report - SeaRox FB 6050, Dated 29 April 2015, Total 5 pages

Drawing No. PFB10165E, Test Report - SeaRox FB 6010, Dated 13 May 2015, Total 5 pages

Drawing No. PFB10165F, Test Report - SeaRox FB 6040, Dated 29 April 2015, Total 5 pages

### Terms of Validity:

This Product Design Assessment (PDA) Certificate remains valid until 08/Sep/2025 or until the Rules and/or Standards used in the assessment are revised or until there is a design modification warranting design reassessment (whichever occurs first).

Acceptance of product is limited to the "Intended Service" details prescribed in the certificate and as per applicable Rules and Standards.

This Certificate is valid for installation of the listed product on ABS units which exist or are under contract for construction on or previous to the effective date of the ABS Rules and standards applied at the time of PDA issuance.

**ROCKWOOL INTERNATIONAL A/S**

HOVEDGADEN 584

DK-2640 HEDEHUSENE

Denmark

Telephone: +31 475 353915

Fax:

Email: math.mourmans@rockwool.com

Web: www.rockwool-rti.com

**Tier: 3 - Type Approved, unit certification not required**

---

Use of the Product for non-ABS units is subject to agreement between the manufacturer and intended client.

**STANDARDS**

**ABS Rules:**

ABS Rules for Conditions of Classification 2020: 1-1-4/7.7, 1-1-A3, 1-1-A4

ABS Rules for Conditions of Classification – Offshore Units and Structures, 2020: 1-1-4/9.7, 1-1-A2, 1-1-A3

**National:**

NA

**International:**

IMO Resolution A754(18)(Adopted on 4 November 1993), IMO 2010 FTP Code (2012 Edition), International Code for Application of Fire Test Procedures, 2010, 2012 Edition

**Government:**

NA

**EUMED:**

NA

**OTHERS:**

NA



CERTIFICATE NUMBER  
EFFECTIVE DATE  
EXPIRY DATE  
ABS TECHNICAL OFFICE

20-2004325-PDA-DUP  
09-Sep-2020  
08-Sep-2025  
London Engineering Department

## CERTIFICATE OF Product Design Assessment

This is to certify that a representative of this Bureau did, at the request of

### **ROXUL ROCKWOOL INSULATION INDIA PVT. LTD.**

located at

**PLOT Z/4 DAHEJ SEZ, DAHEJ, DISTRICT BHARUCH, GUJARAT,  
India, 392130**

assess design plans and data for the below listed product. This assessment is a representation by the Bureau as to the degree of compliance the design exhibits with applicable sections of the Rules. This assessment does not waive unit certification or classification procedures required by ABS Rules for products to be installed in ABS classed vessels or facilities. This certificate, by itself, does not reflect that the product is Type Approved. The scope and limitations of this assessment are detailed on the pages attached to this certificate.

**Product Non-combustible insulation material**

**Model SeaRox FB 6010, SeaRox FB 6020, SeaRox FB 6040 & SeaRox FB 6050.**

This Product Design Assessment (PDA) Certificate remains valid until 08/Sep/2025 or until the Rules and/or Standards used in the assessment are revised or until there is a design modification warranting design reassessment (whichever occurs first).

Acceptance of product is limited to the "Intended Service" details prescribed in the certificate and as per applicable Rules and Standards.

This Certificate is valid for installation of the listed product on ABS units which exist or are under contract for construction on or previous to the effective date of the ABS Rules and standards applied at the time of PDA issuance. Use of the Product for non-ABS units is subject to agreement between the manufacturer and intended client.

American Bureau Of Shipping

Nitin Tyagi,Engineer/Consultant

NOTE: This certificate evidences compliance with one or more of the Rules, Guides, standards or other criteria of ABS or a statutory, industrial or manufacturer's standards. It is issued solely for the use of ABS, its committees, its clients or other authorized entities. Any significant changes to the aforementioned product without approval from ABS will result in this certificate becoming null and void. This certificate is governed by ABS Rules 1-1-A3/5.9 Terms and Conditions of the Request for Product Type Approval and Agreement (2010)

**ROXUL ROCKWOOL INSULATION INDIA PVT. LTD.**

PLOT Z/4 DAHEJ SEZ

DAHEJ, DISTRICT BHARUCH GUJARAT

India 392130

Telephone: +91 610835284

Fax:

Email: prashant.tumdi@rockwool.com

Web: www.rockwool-searox.com

**Tier: 3 - Type Approved, unit certification not required**

---

**Product:** Non-combustible insulation material

**Model:** SeaRox FB 6010, SeaRox FB 6020, SeaRox FB 6040 & SeaRox FB 6050.

**Intended Service:**

Insulation Material (Stone Wool) for ABS Classes Vessels, Mobile Offshore Drilling Units or Facilities

**Description:**

Material specification:

- 1) SeaRox FB 6010 - Thickness: 50 mm, Density: 35 kg/m<sup>3</sup>, Nominal organic content: 1.1 mass %
- 2) SeaRox FB 6020 - Thickness: 70 mm, Density: 40 kg/m<sup>3</sup>, Nominal organic content: 1.1 mass %
- 3) SeaRox FB 6040 - Thickness: 70 mm, Density: 60 kg/m<sup>3</sup>, Nominal organic content: 1.1 mass %
- 4) SeaRox FB 6050 - Thickness: 30 mm, Density: 70 kg/m<sup>3</sup>, Nominal organic content: 1.1 mass %

**Rating:**

Non-combustible material in compliance with the 2010 FTP code.

**Service Restriction:**

- 1) Unit Certification is not required for this product. If the manufacturer or purchaser's request an ABS Certificate for compliance with a specification or standard, the specification or standard, including inspection standards and tolerances must be clearly defined.
- 2) Continuous compliance with the statutory requirements requires maintenance of the Full Type Approval. The scope of Type Approval is to comply with MSC.1/Cir. 1221 dated 1 December 2006.

**Comments:**

- 1) The Manufacturer has provided a declaration about the control of, or lack of Asbestos in this product.
- 2) Unless specifically directed by the Administration, this approval is not to be construed as a substitute of a flag Administration's approval for the purpose of SOLAS 1974, as amended.
- 3) In those instances where flag administration may have their own specific requirements, flag Administration's approval may be required.

**Notes/Drawing/Documentation:**

Incoming email request from Lukas Vonsik

PDA Application form

PDA-DUP Application form

No Changes - Declaration of Conformity

EG2136917, Certificate of Manufacturing Assessment

Drawing No. PFB10165A, Test Report - SeaRox FB 6020, Dated 29 April 2015, Total 5 pages

Drawing No. PFB10165B, Test Report - SeaRox FB 6050, Dated 29 April 2015, Total 5 pages

Drawing No. PFB10165E, Test Report - SeaRox FB 6010, Dated 13 May 2015, Total 5 pages

Drawing No. PFB10165F, Test Report - SeaRox FB 6040, Dated 29 April 2015, Total 5 pages

**Terms of Validity:**

This Product Design Assessment (PDA) Certificate remains valid until 08/Sep/2025 or until the Rules and/or Standards used in the assessment are revised or until there is a design modification warranting design reassessment (whichever occurs first).

Acceptance of product is limited to the "Intended Service" details prescribed in the certificate and as per applicable Rules and Standards.

This Certificate is valid for installation of the listed product on ABS units which exist or are under contract for construction on or previous to the effective date of the ABS Rules and standards applied at the time of PDA issuance.

**ROXUL ROCKWOOL INSULATION INDIA PVT. LTD.**

PLOT Z/4 DAHEJ SEZ

DAHEJ, DISTRICT BHARUCH GUJARAT

India 392130

Telephone: +91 610835284

Fax:

Email: prashant.tumdi@rockwool.com

Web: www.rockwool-searox.com

**Tier: 3 - Type Approved, unit certification not required**

---

Use of the Product for non-ABS units is subject to agreement between the manufacturer and intended client.

**STANDARDS**

**ABS Rules:**

ABS Rules for Conditions of Classification 2020: 1-1-4/7.7, 1-1-A3, 1-1-A4

ABS Rules for Conditions of Classification – Offshore Units and Structures, 2020: 1-1-4/9.7, 1-1-A2, 1-1-A3

**National:**

NA

**International:**

IMO Resolution A754(18)(Adopted on 4 November 1993), IMO 2010 FTP Code (2012 Edition), International Code for Application of Fire Test Procedures, 2010, 2012 Edition

**Government:**

NA

**EUMED:**

NA

**OTHERS:**

NA