



Confirmation of Product Type Approval

Please refer to the "Service Restrictions" shown below to determine if Unit Certification is required for this product. This certificate reflects the information on the product in the ABS Records as of the date and time the certificate is printed.

Pursuant to the Rules of the American Bureau of Shipping (ABS), the manufacturer of the below listed product held a valid Manufacturing Assessment (MA) with expiration date of 18/APR/2017. The continued validity of the Manufacturing Assessment is dependent on completion of satisfactory audits as required by the ABS Rules.

And; a Product Design Assessment (PDA) valid until 14/OCT/2020 subject to continued compliance with the Rules or standards used in the evaluation of the product.

The above entitle the product to be called Product Type Approved.

The Product Design Assessment is valid for products intended for use on ABS classed vessels, MODUs or facilities which are in existence or under contract for construction on the date of the ABS Rules used to evaluate the Product.

ABS makes no representations regarding Type Approval of the Product for use on vessels, MODUs or facilities built after the date of the ABS Rules used for this evaluation.

Due to wide variety of specifications used in the products ABS has evaluated for Type Approval, it is part of our contract that; whether the standard is an ABS Rule or a non-ABS Rule, the Client has full responsibility for continued compliance with the standard.

Product Name: Bulkhead, A-30 bulkhead

Model Name(s): Steel Bulkhead A-30 WITH SeaRox FB 6020/SeaRox FB 6050

Presented to:

ROCKWOOL INTERNATIONAL A/S
HOVEDGADEN 584
Denmark

Intended Service:	ABS Classed Vessels, Mobile Offshore Drilling Units and facilities.
Description:	A bulkhead (structural steel core) insulated with one layer of minimum 70 mm SeaRox FB 6020, 40-100 kg/m ³ on the level and with one layer of minimum 30 mm SeaRox FB 6050, 70-100kg/m ³ on the stiffeners.
Tier:	3
Ratings:	Bulkhead, A-30 Bulkhead
Service Restrictions:	1) Unit Certification is not required for this product. If the manufacturer or purchaser's request an ABS Certificate for compliance with a specification or standard, the specification or standard, including inspection standards and tolerances must be clearly defined. 2) Continuous compliance with the statutory requirements requires maintenance of the Full Type Approval. The scope of Type Approval is to comply with MSC.1/Cir. 1221 dated 1 December 2006.
Comments:	1) The Manufacturer has provided a declaration about the control of, or lack of Asbestos in this product. 2) Unless specifically directed by the Administration, this approval is not to be construed as a substitute of a flag Administration's approval for the purpose of SOLAS 1974, as amended. 3) In those instances where flag administration may have their own specific requirements, flag Administration's approval may be required.
Notes / Documentation:	Plan Approval Form Product Description Type Approval Form Correspondence, . Incoming email - 31/07/15 Drawing No. PGA10658,. Test Report. Class A-30

Bulkhead, Drawing No. PHA10628a,. Assessment Report, Dated 7 July 2015
 Drawing No. PHA10628b,. Assessment Report, Dated 7 July 2015 Drawing No. PHA10628c, .Assessment Report, Dated 7 July 2015 Drawing No. PHA10628d, Assessment Report, Dated 7 July 2015 Drawing No. PHA10628e, Assessment Report, Dated 7 July 2015

Term of Validity:

This Product Design Assessment (PDA) Certificate 15-LD1410567-PDA, dated 15/Oct/2015 remains valid until 14/Oct/2020 or until the Rules or specifications used in the assessment are revised (whichever occurs first). This PDA is intended for a product to be installed on an ABS classed vessel, MODU or facility which is in existence or under contract for construction on the date of the ABS Rules or specifications used to evaluate the Product. Use of the Product on an ABS classed vessel, MODU or facility which is contracted after the validity date of the ABS Rules and specifications used to evaluate the Product, will require re-evaluation of the PDA. Use of the Product for non ABS classed vessels, MODUs or facilities is to be to an agreement between the manufacturer and intended client.

ABS Rules:

The Rules applicable to this assessment are: ABS Rules for Condition of Classification 2015- Steel Vessels, Steel Vessels Under 90 M, Offshore Support Vessels: 1-1-4/7.7, 1-1-A3 & A4 High Speed Craft : 1-1-4/11.9, 1-1-A3 & A4 ABS Rules for Condition of Classification -Offshore Units and Structures 2015- Mobile Offshore Drilling Units: 1-1-4/9.7, 1-1-A2 & 1-1-A3

National Standards:

International Standards:


IMO Resolution A754(18)(Adopted on 4 November 1993), IMO 2010 FTP Code (2012 Edition), International Code for Application of Fire Test Procedures, 2010, 2012 Edition; SOLAS Consolidated Edition 2014

Government Authority:

EUMED:

Others:

Model Certificate	Model Certificate No	Issue Date	Expiry Date
PDA	15-LD1410567-PDA	15/OCT/2015	14/OCT/2020



ABS Programs

ABS has used due diligence in the preparation of this certificate and it represents the information on the product in the ABS Records as of the date and time the certificate was printed. Type Approval requires Drawing Assessment, Prototype Testing and assessment of the manufacturer's quality assurance and quality control arrangements. Limited circumstances may allow only Prototype Testing to satisfy Type Approval. The approvals of Drawings and Products remain valid as long as the ABS Rule, to which they were assessed, remains valid. ABS cautions manufacturers to review and maintain compliance with all other specifications to which the product may have been assessed. Further, unless it is specifically indicated in the description of the product; Type Approval does not necessarily waive witnessed inspection or survey procedures (where otherwise required) for products to be used in a vessel, MODU or facility intended to be ABS classed or that is presently in class with ABS. Questions regarding the validity of ABS Rules or the need for supplemental testing or inspection of such products should, in all cases, be addressed to ABS.