



中国船级社  
CHINA CLASSIFICATION SOCIETY

证书格式号/Form: W01.02-  
HQ001231

工厂认可证书  
CERTIFICATE OF WORKS APPROVAL

证书编号/Certificate No. HB18W00004

兹证明本证书所述制造厂具备按照下列标准的要求生产本证书所列产品的能力和条件。

This is to certify that the manufacturer stated in the certificate meets the requirements of the standards listed below and is available with the ability and conditions to produce the products as described in the certificate.

制造厂/Manufacturer

**ROCKWOOL A/S**

Industrivej 9, DK-6580 Vamdrup, Denmark

认可产品/Product Approved

船用岩棉制品

ROCK WOOL PRODUCT FOR MARINE

附加标志/Notations

无/Nil.

认可标准/Approval Standard

- 1.1974年SOLAS公约及其修正案第II-2章第3条  
Regulation 3, Chapter II-2 of 1974 SOLAS Convention, as Amended
- 2.IMO 2010年FTP规则第1部分  
IMO 2010 FTP Code Part 1

证书有效期至/ This Certificate is valid until 2022年6月26日 / Jun. 26, 2022

发证机构 中国船级社汉堡分社  
Issued by CCS Hamburg Branch

签发日期 2018年8月16日  
Date Aug. 16, 2018

本证书根据中国船级社《钢质海船入级规范》及有关程序规定签发。关于证书的有关规定见本证书背面的说明。当本证书包括多页纸张时，则所有证书页为一个整体，必须同时使用。每一页证书均须由本社盖章方为有效。证书复印件无效。任何单位和个人均不应摘录或节选本证书的部分内容。本认可证书不代表本社对个体产品质量的检验。有关各方对所持证书的真实性有疑问时，可以向本社检验机构咨询。  
This Certificate is issued pursuant to the Rules for Classification of Sea-going Steel Ships and related procedures of the Society. Refer to the back of the certificate for detailed requirements of the certificate. When the certificate consists of more than one page, all pages of the certificate are taken as a whole and are used simultaneously. No certificate page is valid without bearing the stamp of the Society and no copied form of the certificate is regarded as valid. Any part of the certificate is not to be extracted or abridged by any unit or individual in any form. This approval certificate does not constitute the inspection of the Society about the quality of the unit batch product. Related parties who are doubted about the authenticity of the certificate may inquire of the Society or its offices.



中国船级社总部/CCS headquarters: 北京市东直门南大街9号船检大厦 邮编: 100007 电话/Tel: +86(10)58112288 传真/Fax: +86(10)58112811  
CCS Mansion, 9 Dongzhimen Nan Da Jie, Beijing 100007, China 网址/Web Site: <http://www.ccs.org.cn>  
本地检验机构/CCS local Office: 中国船级社汉堡分社 CCS Hamburg Branch 电话/Tel: 0049-40-3860890 传真/Fax: 0049-40-38608918

HB40694664

Nº 16807134

第 1 页 共 5 页 / Page 1 of 5

**产品明细/ Product Description**

## 船用岩棉制品/ROCK WOOL PRODUCT

型号/Model : SeaRox SL 320  
 产品规格/Specification : 1000mmx600mm in form of slab  
 厚度/Thickness : 50/75 mm  
 密度/Density : 60 kg/m<sup>3</sup>  
 有机物含量/Organic content : 2.47 %

## 船用岩棉制品/ROCK WOOL PRODUCT

型号/Model : SeaRox SL 620  
 产品规格/Specification : 1000mmx600mm in form of slab  
 厚度/Thickness : 25-75 mm  
 密度/Density : 100 kg/m<sup>3</sup>  
 有机物含量/Organic content : 0.97 %

## 船用岩棉制品/ROCK WOOL PRODUCT

型号/Model : SeaRox SL 720  
 产品规格/Specification : 1000mmx600mm in form of slab  
 厚度/Thickness : 50/100 mm  
 密度/Density : 32 kg/m<sup>3</sup>  
 有机物含量/Organic content : 2.48 %

## 船用岩棉制品/ROCK WOOL PRODUCT

型号/Model : SeaRox SL 740  
 产品规格/Specification : 1000mmx600mm in form of slab  
 厚度/Thickness : 25-100 mm  
 密度/Density : 45 kg/m<sup>3</sup>  
 有机物含量/Organic content : 2.19 %

## 船用岩棉制品/ROCK WOOL PRODUCT

型号/Model : SeaRox LM 900 ALU  
 产品规格/Specification : 8000mmx1000mm in form of roll  
 with Aluminum foil facing  
 厚度/Thickness : 30 mm  
 密度/Density : 32 kg/m<sup>3</sup>  
 有机物含量/Organic content : 1.63 %

## 船用岩棉制品/ROCK WOOL PRODUCT

型号/Model : SeaRox WM 640  
 产品规格/Specification : 7000mmx1000mm in form of roll  
 with wire netting  
 厚度/Thickness : 30/50/75 mm  
 密度/Density : 105 kg/m<sup>3</sup>  
 有机物含量/Organic content : 0.95 %

## 船用岩棉制品/ROCK WOOL PRODUCT

型号/Model : ProRox WM 960  
 产品规格/Specification : Customized, in form of roll with  
 wire netting  
 密度/Density : 100 kg/m<sup>3</sup>  
 有机物含量/Organic content : 0.62 %

## 船用岩棉制品/ROCK WOOL PRODUCT

型号/Model : SeaRox FB 6020/6040/6050  
 产品规格/Specification : In form of slab  
 厚度/Thickness : 70/70/30 mm  
 密度/Density : 40/60/70 kg/m<sup>3</sup>  
 有机物含量/Organic content : 1.38/1.25/1.14 %

## 船用岩棉制品/ROCK WOOL PRODUCT

型号/Model : SeaRox FM 6030 ALU/6040 ALU  
 产品规格/Specification : In form of roll with aluminum  
 foil facing  
 厚度/Thickness : 30/35 or 50 mm  
 密度/Density : 50/60 kg/m<sup>3</sup>  
 有机物含量/Organic content : 1.11/2.11 %



**批准的图纸和设计计算书/ Approved Drawings and Design Calculations**

图纸批准号/ Drawings Approval No. : HB18W00004

**产品认可试验报告/ Approval Test Report**

试验报告编号/Test Report No. : PFB10298B  
 试验报告日期/Test Report Date : 2018-04-16  
 试验单位/ Laboratory : Danish Institute of Fire and Security Technology  
 试验单位地址/ Test Address : Jemholmen 12, DK-2650 Hvidovre, Denmark

试验报告编号/Test Report No. : PFB10081  
 试验报告日期/Test Report Date : 2013-08-08  
 试验单位/ Laboratory : Danish Institute of Fire and Security Technology  
 试验单位地址/ Test Address : Jemholmen 12, DK-2650 Hvidovre, Denmark

试验报告编号/Test Report No. : PFB10089B  
 试验报告日期/Test Report Date : 2013-10-09  
 试验单位/ Laboratory : Danish Institute of Fire and Security Technology  
 试验单位地址/ Test Address : Jemholmen 12, DK-2650 Hvidovre, Denmark

试验报告编号/Test Report No. : PFB10298A  
 试验报告日期/Test Report Date : 2018-04-16  
 试验单位/ Laboratory : Danish Institute of Fire and Security Technology  
 试验单位地址/ Test Address : Jemholmen 12, DK-2650 Hvidovre, Denmark

试验报告编号/Test Report No. : PFB10026  
 试验报告日期/Test Report Date : 2012-04-30  
 试验单位/ Laboratory : Danish Institute of Fire and Security Technology  
 试验单位地址/ Test Address : Jemholmen 12, DK-2650 Hvidovre, Denmark

试验报告编号/Test Report No. : 2013CS01111/1  
 试验报告日期/Test Report Date : 2013-05-07  
 试验单位/ Laboratory : Rina Services Spa  
 试验单位地址/ Test Address : 16126 Genova, Calata Gadda, Italy

试验报告编号/Test Report No. : 2013CS01111/2  
 试验报告日期/Test Report Date : 2013-05-09  
 试验单位/ Laboratory : Rina Services Spa  
 试验单位地址/ Test Address : 16126 Genova, Calata Gadda, Italy

试验报告编号/Test Report No. : PFB10169A  
 试验报告日期/Test Report Date : 2015-07-06  
 试验单位/ Laboratory : Danish Institute of Fire and Security Technology  
 试验单位地址/ Test Address : Jemholmen 12, DK-2650 Hvidovre, Denmark

试验报告编号/Test Report No. : PFB10165A  
 试验报告日期/Test Report Date : 2015-04-29  
 试验单位/ Laboratory : Danish Institute of Fire and Security Technology  
 试验单位地址/ Test Address : Jemholmen 12, DK-2650 Hvidovre, Denmark

试验报告编号/Test Report No. : PFB10165F  
 试验报告日期/Test Report Date : 2015-05-13  
 试验单位/ Laboratory : Danish Institute of Fire and Security Technology  
 试验单位地址/ Test Address : Jemholmen 12, DK-2650 Hvidovre, Denmark

试验报告编号/Test Report No. : PFB10165B  
 试验报告日期/Test Report Date : 2015-04-29  
 试验单位/ Laboratory : Danish Institute of Fire and Security Technology  
 试验单位地址/ Test Address : Jemholmen 12, DK-2650 Hvidovre, Denmark

试验报告编号/Test Report No. : PFB10182B  
 试验报告日期/Test Report Date : 2015-11-30  
 试验单位/ Laboratory : Danish Institute of Fire and Security Technology



试验单位地址/ Test Address	:	Jemholmen 12, DK-2650 Hvidovre, Denmark
试验报告编号/Test Report No.	:	PFB10182A
试验报告日期/Test Report Date	:	2015-11-06
试验单位/ Laboratory	:	Danish Institute of Fire and Security Technology
试验单位地址/ Test Address	:	Jemholmen 12, DK-2650 Hvidovre, Denmark

**产品适用范围/ Application of the Product**

认可证书有效期内, 上述机构应接受一次定期复查, 复查应在证书签发第二个周年日的前后三个月内进行。  
 Within the validity of the approval certificate, the above mentioned agency should receive a periodic review and the review is to be done within a time span of three months before and after the second anniversary date of the certificate issuance.

**认可保持条件/ Maintenance Requirements of Approval**

1. 工厂认可后, 如果图纸、技术文件、工艺规程有较大改变, 应征得本社同意。若改变涉及或影响到产品的设计、主要制造材料、关键工艺或产品的特性、特征, 则与特性有关的图纸和技术文件应经过本社审批, 并在检验机构认为必要时, 经本社检验人员到厂进行检查和见证有关试验, 其结果应能证实仍符合认可条件。  
 After works approval, if there are any major changes to the drawings, technical documents, specifications, prior consent should be obtained from the survey office of the Society. If the changes involve or affect product design, major construction materials, key workmanship or product characteristics and properties, drawings and technical documents related to properties are to be examined and approved by the Society and, where deemed necessary by the survey office, the surveyor to the Society will go to the manufacturer to inspect or witness relevant tests and the results of the tests should be able to demonstrate compliance with the approval conditions
2. 工厂的质量管理体系应保持有效运行, 并且与认可时一致。如果质量管理体系发生改变, 应经原体系认证机构审核并报本社批准。  
 The quality management system of the factory shall be ensure effective operation, and shall be the same as the situation of approval. If there are any changes to the quality management system, auditing of the original certification organization for quality management system and the society's approval shall be obtained.
3. 工厂认可证书获得者应接受本社每年一次的定期审核, 定期审核日为认可证书期满之日对应的每一周年日, 检查工作可在定期审核日的前后三个月内进行。Those who have obtained the certificate of works approval shall receive periodical audit done by the Society on an annual basis. The date of periodical audit shall be each anniversary date which corresponds to the date of expiry of the relevant certificate and the periodical audit may be done within a time span of three months before and after the annual surveillance date.
4. 在认可证书有效期内, 本社检验人员可在未经事先通知的情况下对工厂的产品制造过程进行审核, 以验证产品的生产是否符合业经本社批准的图纸和文件。工厂应予以配合。  
 Within the validity of the approval certificate, the surveyor to the Society may pay unannounced audit to the manufacturing process of the product in order to confirm whether it is in compliance with the drawings and documents approved by the Society. The factory should provide an active cooperation and necessary for the surveyor.
5. 认可证书有效期内, 如果出现可能导致本社暂停或撤消认可的情况, 工厂应及时采取有效的纠正措施。  
 Within the validity of the approval certificate, if cases occur that may cause the Society to suspend or withdraw the certificate, the manufacturer should take corrective actions in a prompt and effective manner.

**认可后的产品检验方式/ Module of Product Inspection after Works Approval**


按照规范只认可不进行产品检验的产品/The product approved only in term of the rules:  
 认可后的产品检验由制造厂按本社批准的产品检验计划进行检验, 经检验合格后由制造厂签发合格证明, 并连同该产品的本社认可证书复印件一并交付用户, 制造厂对产品符合公约、法规、本社规范和本社认可的标准规定负责。  
 After approval, product inspection should be carried out by the Manufacturer in accordance with the product inspection scheme approved by the Society. Upon satisfactory inspection, and the Quality Certificate issued by the Manufacturer should be provided to the purchaser together with the copy of the approval certificate issued by the Society. The manufacturer should take responsibility for the product being in compliance with the convention, statutory regulation, the Society rules and the standard accepted by the Society.

**对于原材料和零部件的检验要求/ Inspection Requirements for Materials and Components**

产品如下原材料和零部件应由本社认可的制造厂生产/The following materials and components of the product should be manufactured by the factory approved by the Society:Nil

产品如下原材料和零部件应经本社检验/The following materials and components of the product should be inspected by the Society:Nil

产品如下原材料和零部件的制造厂清单, 经本社批准方可变更/The list of manufacturer for the following materials and components of the product should not be changed without the Society's approval:Nil



及方  
01  
TION SO

**免责声明/Statement of Responsibility**

本社的认可不影响、替代与本社授权或检验无关的各方对上述工厂的认可和发证，并且不对与本社授权或检验无关的各方负责，不承担其未经应允而承认、接受本社认可所导致的法律和经济责任。

The approval of the Society does not affect and replace any approval and certification of the manufacturer by any parties that bear no relation with this Society's authorization or survey and therefore takes no responsibility for these parties. The Society does not undertake any legal and economic liabilities arising from accepting this Society's certificate without prior permission from this Society.

**其他/Others**

本社已审核了产品厂无石棉声明，但本社的审核不免除产品厂按照合同关系向订货方保证产品无石棉的责任。

The declaration of asbestos-free submitted by manufacturer has been reviewed by the Society. However, liability of the manufacturer to guarantee the products are asbestos-free to purchaser under contract will not be exempted.

本证书由原型式认可证书 (No. GB14T00014\_01) 变更并换新。

This certificate is modified and renewed from the previous Type Approval Certificate No. GB14T00014\_01.

This approval certificate is issued to following company:

Rockwool International A/S

Rockwool Technical Insulation

Address:

Hovedgaden 501, DK-2640 Hedehusene, Denmark.

中国船级社汉堡分社

CCS Hamburg Branch



\*\*\*\*\*本证书正文完/ End of Text\*\*\*\*\*