

Certificate No: MEDB000016G

# EC-TYPE EXAMINATION CERTIFICATE (MODULE B)

Application of: Directive 2014/90/EU of 23 July 2014 on marine equipment (MED), issued as "Forskrift om Skipsutstyr" by the Norwegian Maritime Authority. This Certificate is issued by DNV GL AS under the authority of the Government of the Kingdom of Norway.

#### This is to certify:

That the "A" Class divisions, fire integrity

with type designation(s)

Steel Deck A60, floating floor

Issued to

# Rockwool International A/S HEDEHUSENE, Denmark

is found to comply with the requirements in the following Regulations/Standards: Regulation **(EU) 2015/559,** 

Annex A.1, item No. A.1/3.11a and Annex B, Module B in the Directive; SOLAS 74 as amended, Regulation II-2/3.2.5 and IMO 2010 FTP Code

Further details of the equipment and conditions for certification are given overleaf.

This Certificate is valid until 2022-03-05.

Issued at Høvik on 2017-03-06

DNV GL local station: **Copenhagen** 

Approval Engineer: Fryderyk Hoga



Notified Body No.: **0575** 




#### for **DNV GL AS**

Digitally Signed By: Hoff, Øyvind Location: DNV GL Høvik, Norway Signing Date: 15.03.2017, on behalf of

Vidar Dolonen
Head of Notified Body

A U.S. Coast Guard approval number will be assigned to the equipment when the production module has been completed and will appear on the production module certificate (module D, E or F), as allowed by the "Agreement between the United States of America and the EEA EFTA states on the mutual recognition of Certificates of Conformity for Marine Equipment" signed 17 October 2005.



This certificate is valid for equipment, which is conform to the approved type. The manufacturer shall inform DNV GL AS of any changes to the approved equipment. This certificate remains valid unless suspended, withdrawn, recalled or cancelled. Should the specified regulations or standards be amended during the validity of this certificate, the product is to be re-approved before being placed on board a vessel to which the amended regulations or standards apply.



Form code: MED 201.NOR

Revision: 2016-12

www.dnvgl.com

Page 1 of 2

Job Id:

344.1-005570-1

Certificate No: MEDB000016G

#### Product description

"Steel Deck A60, floating floor"

Composed of steel deck insulated on upper side with one layer or with two layers in equal thickness (installed with staggered joints) having a total thickness of minimum 60 mm and maximum 100 mm (see below table for details). The insulation is manufactured by ROCKWOOL International A/S factories. Two layers of 1.5 mm thick steel sheets are fitted on top of the insulation and glued together.

| Insulation    | Total thickness (mm)      | Density<br>(kg/m³) | Organic content<br>(% by weight) | Organic content (kg/m³) |
|---------------|---------------------------|--------------------|----------------------------------|-------------------------|
| SeaRox SL 436 | Minimum 60<br>Maximum 100 | 140                | 1.4                              | 1.96                    |
| SeaRox SL 440 | Minimum 60<br>Maximum 100 | 150                | 2.8                              | 4.20                    |
| SeaRox SL 470 | Minimum 60<br>Maximum 100 | 180                | 2.5                              | 4.50                    |
| SeaRox SL 480 | Minimum 60<br>Maximum 100 | 200                | 2.5                              | 5.00                    |

For further details, see test reports and drawings listed under Type Examination documentation below.

## Application/Limitation

Approved for use as a horizontal fire retarding division of class A-60.

The insulation materials and adhesives used have to be approved according to the Marine Equipment Directive and bear the Mark of Conformity. This requirement may also be applicable for surface materials used, if required by relevant rules and regulations.

Each product is to be supplied with its manual for installation and maintenance.

### Type Examination documentation

Test reports No. F15 150070-04:01 dated 10 October 2015 and F15 150070-05:01 dated 4 December 2015 both from "SP Fire Research AS", Trondheim, Norway.

Drawing No. R-018 dated 26 August 2015 from Rockwool. Drawing No. R-024 dated 19 October 2015 from Rockwool.

#### Tests carried out

Tested according to IMO 2010 FTP Code part 3.

#### Marking of product

The product or packing is to be marked with name and address of manufacturer, type designation, fire technical rating, MED Mark of Conformity and USCG approval number if applicable (see first page).

Form code: MED 201.NOR Revision: 2016-12 www.dnvql.com Page 2 of 2