



# NIPPON KAIJI KYOKAI

## Certificate

Certificate No.  
TA17665E(R)

OF

### APPROVAL

Item : A-30 class deck  
Product name : SeaRox SL 740 (50/30mm)  
Specification : See Annex.  
Applicant : Rockwool International A/S  
Hovedgaden 584, DK-2640 Hedehusene, Denmark  
Manufacturer : See Annex.  
Testing standard : IMO FTP Code Annex1 / Part 3  
Test report : See Annex.

THIS IS TO CERTIFY that the above type of products has been approved by Nippon Kaiji Kyokai with type approval No. 99FPA10DA, and that the products of the above type will be accepted for use onboard ships classed with the Society as complying with the relevant requirements of the Society's *Rules for the Survey and Construction of Steel Ships* and those of the *International Convention for the Safety of Life at Sea, 1974, as amended*, subject to conditional upon the manufacturer having a quality control system audited by a competent authority to ensure continuous compliance with the type approval conditions.

This certificate is valid until 29 June 2022.  
Issued at Tokyo on 30 June 2017.

NIPPON KAIJI KYOKAI

H. Kobayashi  
General Manager

Material and Equipment Department



Initial approval date : 12 May 1999

NOTE: The design, construction and way of installation subject to attachments. Any significant changes to the product without our approval will result in this certificate becoming null and void.

Annex to the Certificate No. TA17665E(R)



1. Manufacturer


Rockwool A/S  
Hovedgaden 501, DK-2640 Hedehusene, Denmark

Rockwool Benelux B.V.  
Industrieweg 15 NL-6045 JG Roermond, The Netherlands

Roxul Rockwool Insulation India Pvt. Ltd.  
Plot Z/4, Dahej SEZ, Dahej, District Bharuch  
392 130, Gujarat, India

2. Test report

Test laboratory : Danish Institute of Fire and Security Technology  
Jernholmen 12, 2650 Hvidovre, Copenhagen, Denmark  
Report number : PG10985  
Date of issue : 11 March 2002



Date: 2002.01.04


Drawing: KMP

Scale 1:20

A 30 deck insulated with 45mm  
SeaRox SL 740

**ROCKWOOL**

Rockwool AS



Diameter of washer : 30mm or 38mm