



# NIPPON KAIJI KYOKAI

## *Certificate*

Certificate No.  
TA14149E(N)

*OF*

*APPROVAL*

Item : A-30 class deck  
Product name : A-30 Steel Deck Type II (SeaRox SL 620)  
Specification : See Annex.  
Applicant : Rockwool International A/S  
Hovedgaden 584, DK-2640 Hedehusene, Denmark  
Manufacturer : See Annex.  
Testing standard : 2010 FTP Code (IMO Resolution MSC 307(88))  
Annex1 / Part 3  
Test report : See Annex.

THIS IS TO CERTIFY that the above type of products has been approved by Nippon Kaiji Kyokai with type approval No. 14FPA13DA, and that the products of the above type will be accepted for use onboard ships classed with the Society as complying with the relevant requirements of the Society's *Rules for the Survey and Construction of Steel Ships* and those of the *International Convention for the Safety of Life at Sea, 1974, as amended*, subject to conditional upon the manufacturer having a quality control system audited by a competent authority to ensure continuous compliance with the type approval conditions.

This certificate is valid until 16 February 2019.  
Issued at Tokyo on 17 February 2014.

NIPPON KAIJI KYOKAI

T. Imamura

General Manager

Material and Equipment Department



Initial approval date : 17 February 2014

Annex to the Certificate No. TA14149E(N)



1. Manufacturer

Rockwool A/S  
Hovedgaden 501, 2640 Hedehusene, Denmark


Rockwool B.V.  
Industrieweg 15 NL-6045 JG Roermond, The Netherlands

ROCKWOOL MALAYSIA SDN BHD  
175 A & B, Kawasan Perindustrian Air Keroh,  
Jalan Lingkungan Usaha, 75450 Melaka, Malaysia

Roxul Rockwool Insulation India Pvt. Ltd.  
Plot Z/4, Dahej SEZ, Dahej, District Bharuch  
392 130, Gujarat – India

2. Test report

Test laboratory : Danish Institute of Fire and Security Technology  
Jernholmen 12, 2650 Hvidovre, Copenhagen, Denmark  
Report number : PGA10322  
Issued date : 2 September 2013



All measurements in mm

**ROCKWOOL**  
FIRE SAFETY INSULATION

Subject: A 30 Deck


Date: 2013/08/13


Dwg No.: 1

Scale: 1:20

Rev.:


Designer: KMP





Fixing of LIP profile to standard deck:  
 The LIP profiles is welded to the underside  
 of stiffner at every cross point

All measurements in mm.



Subject: A 30 deck	Date: 2013/08/30
Dwg No.: 2	Scale: 1:5
	Rev.: Designer: KMP